



An integrated approach to get the most out of your space



Scandicwall OY


Exclusive dealer of Parthos
in Finland and Sweden

Scandicwall 

Registered brand name

Movable Walls

- EI, dB, EPD and FSC certificates.
- Fire resistance EI30 - Ei60.
- Mechanical, semi-automatic and fully-automatic drive.
- Panels with “floating boards”:
easy installation, better insulation
because boards do not connect to the metal
frames, easy to change the boards on site.



Panel height

3 000 - 22 000 mm



Sound insulation

42-58 dB



Weight

20 - 65 kg/m²




Panel thickness

80-110 mm



Movable Walls XXL

- ▮ Tubular steel frame ensures maximum structural rigidity and strength.
- ▮ EI, dB, EPD and FSC certificates.
- ▮ Fire resistance EI30 - EI60.
- ▮ Minimizing the number of joints and seams.
- ▮ Mechanical, semi-automatic and fully-automatic drive.



Panel height

1 500 - 6 000 mm



Sound insulation

37-57 dB



Weight

37 - 75 kg/m²




Panel thickness

103 mm



Folding Partitions

- Profile painting in any color.
- Top and top-bottom fastening.
- Sound-absorbing panels with perforation and soft base.
- Opening from the center to the walls and from wall to wall.
- Symmetric and asymmetric parking zones.



Panel height

2 000 - 4 000 mm



Sound insulation

32-52 dB



Weight

20 - 45 kg/m²



Panel thickness

83 mm




Glass Walls

- Mechanical and semi-automatic control.

- Whole glass surface.

- Available in fire-resistant glass.

- Reduced vertical and horizontal imposts, maximum glass area.



Panel height

1 500 - 4 500 mm



Sound insulation

46-49 dB



Weight

65 kg/m²




Thickness
of safety glass

8 mm



Office Walls

- Combination of transparency and soundproofing.
- Eco-friendly materials.
- Ability to use fire resistant glass.
- Various options and colors of solutions and accessories.
- Suitable for non-standard rooms.



Panel height

2 000 - 6 000 mm



Sound insulation

32-46 dB




Weight

25-42 kg/m²



Thickness
of safety glass


6-10 mm



Interior Panels

| We provide a wide array of interior panel choices designed to complement any interior design.

| Our fire-resistant panels guarantee the safety of your space.



| Our diverse selection of sound-absorbing panels is suitable for all room types.



Various types of perforation and textures



Individual sizes and shapes to suit your interior



Eco-friendly materials




Hidden fastening



Commercial furniture

■ We create completely the entire interior design from the project to the manufacture of custom-made furniture.

■ We manufacture, deliver and install commercial furniture of any complexity.



■ Thanks to our own design department, we create and implement modern interior concepts.



Individual design project



Eco-friendly materials



State of the Art Solutions



Warranty service



Interior and Exterior painting work



We have extensive experience in painting the exterior and interior walls of houses. Since 1970, we have successfully completed numerous projects involving the painting of commercial spaces.



Contact us

Scandicwall

 +358 44 778 8618 Ville Pärkkä **Sales (Construction Engineer)**

 +358 44 365 4351 Timo Muhonen **Sales (Master Painter)**

 +358 40 835 8920 Tapio Hänninen **Sales**

 sales@scandicwall.com

 www.scandicwall.com

