
Scandicwall.com

Scandicwall

Office Walls



An integrated approach to get the most out of your space

Office Walls

I Combination of transparency and soundproofing.

I Eco-friendly materials.

Ability to use fire resistant glass

I Flexible solutions

More flexible and efficient pricewise



Panel height

2000 - 3000 mm





Sound insulation

32-46 dB

Weight


25 - 42 kg/m2





Panel thickness

8, 10, 12 mm




Office walls in the interior



Theatre Maillon, Strassburg



Parc des expostions (PEX) – Toulouse



Maria Montessorigebouw – Nijmegen

Where to use



OFFICES

Organize the work of employees correctly. Create an additional meeting room, separate offices, separate the kitchen area from the employees' recreation area.



CONFERENCE HALLS/EXPO

Space can bring additional profit. Create a transformable space and adapt it for various events. Separate small spaces and host multiple events in parallel, or combine spaces to host one large event.



MEDICAL INSTITUTIONS

Safe fire-resistant structures are recommended for separating rooms in medical institutions. Separate the reception room from the examination room, fence off the waiting room or create an additional office for receiving patients.



UNIVERSITIES, SCHOOLS

Divide students into groups in different rooms, and then remove the wall and bring everyone together for a common lesson. Conduct interactive games and focus groups.



RESTAURANTS

Commercial premises can generate more profit if they are multifunctional. The transformable room can be divided into several halls and events can be held at the same time. A high level of sound insulation will prevent conversations and loud music from penetrating through the wall.



PUBLIC SPACES

Use transparent structures as storefronts. Visually expand the halls of shopping malls, banks, and gyms.


Contact us



www.scandicwall.com

sales@scandicwall.com

CURRENT CONTACTS



An integrated approach to get the most out of your space